

ENCOURAGE

CLASSIC 2-1-2

FERTILIZER TO IMPROVE PLANT VIGOR

GUARANTEED ANALYSIS

Total Nitrogen (N) (minimum).....	2.00%
0.3% Nitrate Nitrogen	
1.7% Urea Nitrogen	
Available Phosphate (P_2O_5) (minimum).....	1.00%
Soluble Potash (K_2O (minimum)).....	2.00%
Boron (B).....	0.03%
Iron (Fe).....	0.40%
Manganese (Mn).....	0.10%
Alcohols, c9-15 ethoxylated.....	2.00%
Humic substances.....	1.50%
Ascophyllum nodosum.....	2.00%

CAUTION: This fertilizer contains boron, iron and manganese and should be used only as recommended. It may prove harmful when misused.

MIX WELL BEFORE USE

KEEP OUT OF REACH OF CHILDREN

WARNING

Harmful if inhaled. Causes eye irritation. Suspected of damaging fertility or the unborn child. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Keep away from flames and hot surfaces. No smoking. Wear protective gloves. Wear eye protection or face protection. Avoid breathing mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling.

FIRST AID

Call a POISON CENTER or doctor/physician if you feel unwell.

For Chemical Emergency (spill, leak, fire, or accident), call CHEMTREC (800) 424-9300.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a Physician if symptoms develop or persist.

IF ON SKIN OR CLOTHING: Remove contaminated clothing immediately and wash skin with soap and water. Wash contaminated clothing before reuse.

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Get medical attention if symptoms occur.

Batch #: See container

Manufacturing date: See container

Shelf Life: 2 years from manufacturing date

ENGRAIS POUR AMÉLIORER LA VIGUEUR DES PLANTES

ANALYSE GARANTIE

Azote (N) total (minimum).....	2.00 %
0.3 % d'azote des nitrique	
1.7 % d'azote uréique	
Phosphate (P_2O_5) assimilable (minimum).....	1.00 %
Potasse soluble (K_2O) (minimum).....	2.00 %
Bore (B).....	0.03 %
Fer (Fe).....	0.40 %
Manganèse (Mn).....	0.10 %
Alcools en C9-11, éthoxylés.....	2.00 %
Substances humiques.....	1.50 %
Ascophyllum nodosum.....	2.00 %

ATTENTION: Cet engrais contient du bore, fer et manganèse et ne doit être utilisé que comme recommandé. Il peut s'avérer nocif lorsqu'il est mal utilisé.

BIEN MÉLANGER AVANT UTILISATION

GARDER HORS DE LA PORTÉE DES ENFANTS

AVERTISSEMENT

Nocif si inhalé. Provoque une irritation des yeux. Susceptible de nuire à la fertilité ou à l'enfant à naître. Obtenir des instructions spéciales avant l'utilisation. Ne pas manipuler avant d'avoir lu et compris toutes les consignes de sécurité. Utiliser l'équipement de protection individuelle au besoin. Tenir à l'écart des flammes et des surfaces chaudes. Défense de fumer. Porter des gants de protection. Porter une protection de l'œil ou du visage. Éviter de respirer les brouillards/vapeurs/embruns. Utiliser uniquement à l'extérieur ou dans un endroit bien ventilé. Se laver à fond après la manipulation.

PREMIERS SECOURS

Appelez un CENTRE ANTIPOISON ou un médecin si vous ne vous sentez pas bien.

En cas d'urgence chimique (déversement, fuite, incendie ou accident), appelez CHEMTREC (800) 424-9300.

EN CAS D'INHALATION: Amener la personne à l'air frais et la maintenir à l'aise pour respirer. Appelez un médecin si des symptômes apparaissent ou persistent.

EN CAS DE CONTACT AVEC LA PEAU OU LES VÊTEMENTS: Enlever immédiatement les vêtements contaminés et laver la peau avec de l'eau et du savon. Laver les vêtements contaminés avant de les réutiliser.

EN CAS DE CONTACT AVEC LES YEUX: Rincer immédiatement les yeux à grande eau pendant au moins 15 minutes. Retirez les lentilles de contact, si elles sont présentes et faciles à faire. Continuez à rincer.

EN CAS D'INGESTION: Rincer la bouche. Consulter un médecin si des symptômes apparaissent.

Numéro de lot : Voir le contenant

Date de fabrication : voir emballage

Durée de conservation : 2 ans à compter de la date de fabrication

NET CONTENTS 10 L / CONTENU NET 10 L

Registration Number: 2021816F Fertilizers Act

MANUFACTURED BY

Oro Agri, Inc.

2788 S. Maple Ave., Fresno, CA 93725 USA

Oro Agri, Inc. All Rights Reserved

Copyright © Aug. 2024 v20240808

Net weight: 11.1 kg

Density: 1.1 kg/L

Numéro D'enregistrement: 2021816F Loi sur les engrais

FABRIQUÉ PAR

Oro Agri, Inc.

2788 S. Maple Ave., Fresno, CA 93725 USA

Oro Agri, Inc. Tous droits réservés

Droit d'auteur © Aug. 2024 v20240808

Poids net: 11,1 kg

Densité: 1,1 kg/L



Rovensa
Next

GENERAL INFORMATION

ENCOURAGE® CLASSIC is a 2-1-2 fertilizer with a wetting agent to ensure complete foliar coverage. It also contains humic acid that may aid in the uptake of micronutrients. It can be used on agricultural crops, ornamental plants and commercial turf to stimulate plant growth. CLASSIC can be used as a one-time application or as part of a season-long fertility program. This product contains micronutrients. Use on the basis of a soil and/or tissue analysis.

DIRECTIONS FOR USE

Prior to use, read all the directions on this label and on the label of the tank mix partners being used with this product. Thoroughly clean all mixing and spray application equipment prior to and following each use. Unless directed otherwise by mixing instructions on the label of product to be tank mixed with CLASSIC, add desired amount of water to the tank and begin agitation. Add CLASSIC and continue agitation. If desired, add liquid fertilizer or other tank mix partners. CLASSIC can be applied as a foliar spray by air, ground or chemigation. CLASSIC can be tank mixed with most pesticides and nutrients. This product may not provide all nutrients required and should be used as part of a complete fertilization program, based on soil testing.

MIXING DIRECTIONS

COMMERCIAL USE ONLY AGRICULTURE

Spray with sufficient solution to wet foliage, but not to the point of runoff.

- **Row Crops:** Use 1 to 5 L per hectare (10 fl. oz. to 2 qt per acre). Apply 2 to 3 times per growing season. Plants need to be just past the seedling stage and true leaves should be present - about 25% coverage of the ground before the first application. Second application is usually just before flowering, or just before the onset of the reproductive stage of the crop. The third application would be early in the grain fill or fruit/vegetable sizing stage.
- **Tree and vine crops:** Use 2.5 to 5 L per hectare (1 to 2 qt per acre). Apply 2 to 3 times per growing season when leaves are present.

NURSERY, GREENHOUSE, ORNAMENTAL AND LANDSCAPE

- **Succulent plants:** Mix 500 ml per 100 L of water (64 fl. oz. in 100 gal of water).
- **Woody plants:** Mix 750 ml per 100 L of water (96 fl. oz. in 100 gal of water).

Spray with sufficient solution to wet foliage, but not to the point of runoff. Apply every 14 to 21 days or as needed. Plants need to be just past the seedling stage - about 25% coverage of the ground before the first application. Second application is usually just before flowering, or just before the onset of the reproductive stage of the plant. The third application would be early in the seed fill or fruit/vegetable sizing stage.

GOLF COURSE SUPERINTENDENTS, LANDSCAPERS, GROWERS AND NURSERY OPERATORS

Sod, fairways, lawns and greens: Mix 100 ml in 4 L of water. Apply 4 L solution in 100 square meter or 400 L solution per hectare. (Mix 3 fl. oz. per 1 gal of water. Apply 1 gal solution per 1000 square feet or 40 gal solution per acre). Use every 10 to 14 days or as needed.

INFORMATION GÉNÉRALE

ENCOURAGE® CLASSIC est un engrais 2-1-2 avec un agent mouillant pour assurer une couverture foliaire complète. Il contient également de l'acide humique qui peut aider à l'absorption de micronutriments. Il peut être utilisé sur les cultures agricoles, les plantes ornementales et le gazon commercial pour stimuler la croissance des plantes. CLASSIC peut être utilisé en application unique ou dans le cadre d'un programme de fertilité tout au long de la saison. Ce produit contient des micronutriments. Utilisation sur la base d'une analyse de sol et/ou de tissus.

MODE D'EMPLOI

Avant l'emploi, lire le mode d'emploi sur cette étiquette et sur l'étiquette des produits d'association utilisés avec ce produit. Nettoyer soigneusement tout l'équipement de mélange et de pulvérisation avant et après chaque utilisation. Sauf indication contraire sur l'étiquette du produit à mélanger avec CLASSIC, ajouter la quantité d'eau désirée dans le réservoir et commencer à agiter. Ajouter CLASSIC et continuer l'agitation. Si désiré, ajouter de l'engrais liquide ou d'autres produits à mélanger en cuve. CLASSIC peut être appliqué en pulvérisation foliaire par voie aérienne, terrestre ou de chimigation. CLASSIC peut être mélangé en cuve avec la plupart des pesticides et des nutriments. Ce produit peut ne pas fournir tous les nutriments requis et doit être utilisé dans le cadre d'un programme de fertilisation complet, basé sur des analyses de sol.

INSTRUCTIONS POUR MÉLANGER

POUR UTILISATION COMMERCIALE OU PROFESSIONNELLE SEULEMENT AGRICULTURE

Pulvériser suffisamment de solution pour mouiller le feuillage, mais pas jusqu'au point de ruissellement.

- **Cultures en lignes:** Utiliser 1 à 5 L par hectare (10 oz. liq. à 2 qt par acre). Appliquer 2 à 3 fois par saison de croissance. Les plantes doivent être juste après le stade de plantule et les feuilles véritables doivent être présentes – environ 25% de couverture du sol avant la première application. La deuxième application est généralement effectuée juste avant la floraison, ou juste avant le début du stade de reproduction de la culture. La troisième application se fait au début du remplissage des grains ou du calibrage des fruits/légumes.
- **Cultures d'arbres et de vignes:** Utiliser 2,5 à 5 L par hectare (1 à 2 qt par acre). Appliquer 2 à 3 fois par saison de croissance lorsque les feuilles sont présentes.

PÉPINIÈRE, SERRE, ORNEMENTAL ET PAYSAGER

- **Plantes succulentes:** Mélanger 500 ml pour 100 L d'eau (64 oz. liq. dans 100 gal d'eau).
- **Plantes boisées:** Mélanger 750 ml pour 100 L d'eau (96 oz. liq. dans 100 gal d'eau).

Pulvériser suffisamment de solution pour mouiller le feuillage, mais pas jusqu'au point de ruissellement. Appliquer tous les 14 à 21 jours ou selon les besoins. Les plantes doivent être juste après le stade de plantule – environ 25 % de couverture du sol avant la première application. La deuxième application est généralement effectuée juste avant la floraison, ou juste avant le début du stade de reproduction de la plante. La troisième application se fait au début du remplissage des graines ou du calibrage des fruits/légumes.

LES SURINTENDANTS DE TERRAINS DE GOLF, LES PAYSAGISTES, LES CULTIVATEURS ET LES EXPLOITANTS DE PÉPINIÈRES

Gazon, fêtes foraines, jardins et espaces verts: Mélanger 100 ml dans 4 L d'eau. Appliquer 4 L de solution pour 100 mètres carrés ou 400 L de solution par hectare. (Mélanger 3 oz. liq. pour 1 gal d'eau. Appliquer une solution de 1 gal pour 1 000 pieds carrés ou une solution de 40 gal par acre). Utiliser tous les 10 à 14 jours ou selon les besoins.

APPLICATION PRECAUTIONS

DO NOT mix with or add other surfactants. Applicator should spray and evaluate response for 48 hours prior to widespread usage. May cause staining on handler's apparel and hard surfaces. Application of certain nutrients during high temperatures may result in staining or cosmetic injury of fruit or rind. Test all new tank mixes before widespread use. Do not apply directly to seed. To ensure thorough mixing, it is suggested that you recirculate mini tanks and bulk tanks or shake containers before using. Do not mix CLASSIC with undiluted tank mix partners until you have "jar tested" in a separate container using the proportionate amount of CLASSIC to make sure the products are compatible. Agitate and let stand 10 minutes. Settling that does not disperse indicates an incompatible mixture. Do not use on crops or plants that are sensitive to humic acid or surfactants. In some cases, tank mixing with pest control products can result in reduced pesticide efficacy or increased host crop injury. The user should contact the company responsible for the pest control product before applying.

STORAGE AND DISPOSAL

STORAGE: Keep away from open flames, hot surfaces and sources of ignition. Store in a cool, dry, well-ventilated place out of direct sunlight. Store locked up. Store in original tightly closed container away from children, animals, foods, feeds and seeds. **PRODUCT AND CONTAINER DISPOSAL:** Do not allow this material to drain into sewers/water supplies. Empty containers or liners may retain some product residues. Triple rinse (or equivalent) during mixing and loading. Dispose of contents in accordance with local/national regulations.

NOTICE OF WARRANTY

To be read prior to using this product. The directions should be followed carefully together with good application practice. Failure to do so may cause injury to crops, animals, man or the environment. Extraordinary or unusual weather conditions may affect product performance and/or crop injury which are beyond the control of Oro Agri, Inc. (the "Company") or seller. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the Directions For Use. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law. The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Company's election, ONE of the following: 1. Refund of the purchase price paid by buyer or user for product bought. 2. Replacement of the product used. To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company/seller offer this product and the buyer/user accepts it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

For more information, contact info.na@rovensanext.com
ENCOURAGE is a registered trademark of Oro Agri, Inc. v20240808

PRÉCAUTIONS D'APPLICATION

NE PAS ajouter ou mélanger avec d'autres tensioactifs. L'opérateur doit pulvériser et évaluer la réponse pendant 48 heures avant l'utilisation généralisée. Peut provoquer des taches sur les surfaces dures et les vêtements des personnes manipulant le produit. L'application de certains nutriments à des températures élevées peut causer des taches ou des dommages cosmétiques sur les fruits ou l'écorce. Tester tous les nouveaux mélanges en cuve avant de les utiliser à grande échelle. Ne pas appliquer directement sur les semences. Pour garantir un mélange complet, il est suggéré de faire recirculer les mini-citernes et les réservoirs en vrac ou de secouer les conteneurs avant de les utiliser. Ne pas mélanger CLASSIC avec des partenaires de mélange en cuve non diluée avant d'avoir fait un « test du pot » dans un récipient séparé en utilisant la quantité proportionnelle de CLASSIC pour vous assurer que les produits sont compatibles. Agiter et laisser reposer 10 minutes. Un tassement qui ne se disperse pas indique un mélange incompatible. Ne pas utiliser sur des cultures ou des plantes sensibles à l'acide humique ou aux tensioactifs. Dans certains cas, le mélange en cuve avec des produits antiparasitaires peut entraîner une réduction de l'efficacité des pesticides ou une augmentation des dommages aux cultures hôtes. L'utilisateur doit contacter l'entreprise responsable du produit antiparasitaire avant d'appliquer tout mélange en cuve.

STOCKAGE ET DISPOSITION

STOCKAGE : Tenir à l'écart des flammes nues, des surfaces chaudes et des sources d'ignition. Conserver dans un endroit frais, sec et bien ventilé, à l'abri de la lumière directe du soleil. Entrepouser dans un endroit verrouillé. Conserver dans le récipient d'origine fermé hermétiquement, à l'écart des enfants, des animaux, des aliments, des fourrages et des semences. **ÉLIMINATION DU PRODUIT ET DU RÉCIPIEN :** Ne pas laisser ce produit s'écouler dans les égouts/les alimentations en eau. Les récipients ou les revêtements vides peuvent retenir certains résidus de produit. Rincer trois fois (ou l'équivalent) pendant le mélange et le chargement. Éliminer le contenu conformément aux réglementations locales/nationales.

NOTICE OF WARRANTY

To be read prior to using this product. The directions should be followed carefully together with good application practice. Failure to do so may cause injury to crops, animals, man or the environment. Extraordinary or unusual weather conditions may affect product performance and/or crop injury which are beyond the control of Oro Agri, Inc. (the "Company") or seller. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the Directions For Use. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law. The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Company's election, ONE of the following: 1. Refund of the purchase price paid by buyer or user for product bought. 2. Replacement of the product used. To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company/seller offer this product and the buyer/user accepts it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

Pour plus d'information, contacter contact.info.na@rovensanext.com
ENCOURAGE est une marque déposée d'Oro Agri, Inc. v20240808