

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>
Item# 5930

TOP-SET D.L.



Warning.
Causes skin irritation, Causes serious eye irritation, Organ toxicity through repeated ingestion, Suspected of damaging fertility.
Wash thoroughly after handling. Wear eye/face protection and protective gloves. Do not eat, drink, or smoke when using this product. Avoid release to environment. Rinse mouth if swallowed. Take off contaminated clothing and wash before reuse. If on skin: Wash with plenty of soap and water. If exposed or concerned: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If swallowed, call a poison center/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation occurs: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national regulations.

Science-Driven NutritionSM

Agro-K Corporation
8030 Main Street, N.E. • Minneapolis, MN • 55432-1844 U.S.A.
(800) 328-2418 • (763) 780-4116 • www.agro-k.com

TOP-SET D.L. is designed for both foliar and soil use on crops to prevent or correct boron and molybdenum deficiencies. Proper nutrient management will help maximize crop quality and yields. Foliar fertilization is intended to supplement standard ground fertility programs and will not by itself provide all nutrients normally required by agricultural crops.

Directions for Commercial Use:

Foliar: Apply ½ pint to 4 pints per acre with sufficient water for thorough coverage. For best results spray in early morning or late afternoon. Do not apply during the "sunlight" hours when air temperature is above 85°F.

Soil: Apply 1 to 4 quarts per acre. Soil applications can be via conventional ground sprayer or metered through irrigation. If you have any questions regarding mixing or application rates contact your Agro-K dealer before using this product.

Mixing: TOP-SET D.L. may be mixed with most fertilizers, insecticides and/or fungicides. A compatibility check is recommended. Materials packaged in water soluble bags should be added to the tank first and completely dissolved before adding any boron containing products to the tank mix - including Top Set DL and Vigor-Cal-Bor-Moly. Check with your field representative for specific recommendations.

CAUTION: This product contains boron and should be used only in accordance with directions. Improper use may result in injury to crops. Avoid freezing. The application of fertilizing materials containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (Mo) which are toxic to ruminant animals.

Guaranteed Analysis:
Boron (B) 9.0%
Molybdenum (Mo) 0.5%

Derived from
Boric Acid and Ammonium Molybdate

Product density is 10.97 lbs/gallon
at 68 degrees Fahrenheit.

Net Wgt. 27.43 lbs /2.5 gal
Net Wgt. 12.45 kg /9.46L



Warranty

1.-The manufacturer guarantees and warrants that the content and the total net weight are as stated within lawful limits.

2.-Liability of Agro-K Corporation under this warranty or otherwise shall be limited to refund of the purchase price and such refund is expressly agreed by the buyer to be the exclusive remedy.

Agro-K Corporation makes no other expressed or implied guarantee, warranty or representation, including warranties of merchantability and fitness for a purpose. Agro-K Corporation shall not be liable for direct consequential or incidental damages. No modifications of this warranty and the disclaimers herein are authorized or valid unless expressed in writing and signed by Agro-K Corporation.

SHAKE WELL BEFORE USE

WARNING
KEEP OUT OF REACH OF CHILDREN